

## MAJOR CLASSIFICATION INDEX OF ARTICLES

### ANALYTICAL METHODS

Determination of Fe(II)/Fe(III) in natural waters 785–790

High temperature supercritical CO<sub>2</sub> extractions of geological samples 79–89

### ARCHAEOLOGY

Differential diagenesis of Sr in archaeological human dental tissue 687–694

Marbles from Roman Hispania, stable isotope and cathodoluminescence characterization 1469–1493

### ENERGY RESOURCES

#### Petroleum and Natural Gas

Hydrothermal petroleum from lacustrine sedimentary organic matter, East African Rift 355–368

Production of <sup>210</sup>Pb from Slochteren Sandstone gas reservoir 1317–1329

Water-rock interaction during CO<sub>2</sub> flooding 265–279

### ENVIRONMENTAL GEOCHEMISTRY

Acid production from sulphide minerals using H<sub>2</sub>O<sub>2</sub> weathering 235–243

Anthropogenic influence on Pb isotopes of lake sediments 1291–1305

As and Ni in U mill tailings, Saskatchewan 1097–1119

As speciation in pyrite and weathered phases, Mother Lode District, California 1219–1244

Au mobilisation into surface waters and sediments from tailings 629–646

Chemistry and S isotope composition of precipitation, Bologna, Italy 1455–1467

Chemistry of alkaline, Zn-rich waters in a F-Pb mine 1383–1397

Colloid formation and metal transport through two mixing zones affected by AMD 1003–1018

Comparison of geochemistry of Fe-Mn coatings on pebbles and a gastropod in a SW England river 725–735

Contrasting the geochemistry of suspended and deposited sediments in an estuary 753–775

Definition of geochemical baseline in areas of differing geology 647–653

Dissolution of silica and development of concentration patterns in freshwater sediments 425–438

Effect of fulvic acids on sorption of U, Zn, Yb, I and Se 133–139

Effects of pH regulation on release of SO<sub>4</sub> from AMD precipitates 27–34

Experimental and in situ study of radiocaesium across the sediment-water interface 833–848

Heavy metal distribution in estuarine sediments, Pearl River, China 567–581

Heavy metal weathering under acid soil conditions 415–423

- Hydrogeochemistry and transport of organic contaminants in an urban watershed 901–915  
Impact of historical metalworks on chemistry of sediments, a case study 807–817  
Interaction between aqueous Cr and layer silicates 1307–1316  
Laboratory evaluation of metal release and transport in flooded mine tailings 1245–1263  
Metal contamination of soils, Scott Base, Antarctica 513–530  
Metal remobilisation following resuspension of estuarine sediments 191–210  
Pb isotopes in tree rings as indicators of heavy metal pollution 891–900  
Reactive transport of metal contaminants in alluvium 35–49  
REE geochemistry to identify sources of stream sediments 1369–1381  
Retention of Sr, Cs, Pb and U by bacterial Fe oxides 1035–1042  
Solid phase Fe-S geochemistry of a reactive barrier for treatment of mine drainage 1331–1343  
Solubility of  $\text{Ca}_6[\text{Al}(\text{OH})_6]_2(\text{CrO}_4)_3 \cdot 26\text{H}_2\text{O}$ , 5–75°C 1203–1218  
Source indicators of humic substances 1019–1033  
Speciation of Sb in bisulfide solutions 879–889  
The calcite/portlandite phase boundary: enhanced calcite solubility at high pH 327–335  
Use of  $^{234}\text{U}$  and  $^{238}\text{U}$  to identify fertilizer-derived U in the Florida Everglades 369–383  
X-ray absorption study of coprecipitation of Tc and Re with mackinawite 347–354

#### Diagenesis

- Amino acid abundances and stereochemistry in hydrothermally altered sediments 1169–1190  
Burial diagenesis, simulation in the Wilcox group, Gulf of Mexico 1071–1083  
Diagenetic cycling of trace elements in estuarine sediments 551–566  
Early diagenetic behaviour of Se in freshwater sediments 1439–1454  
Making diagenesis obey thermodynamics and kinetics 295–309

#### Geochemistry and health

- Human and environmental contamination in the Iron Quadrangle, Brazil 181–190  
Environmental distribution of Se in the Keshan disease belt, China 385–401  
Soil, grain and water chemistry in relation to human Se-deficiency diseases in China 117–132

#### Groundwater

- Aqueous solubility of trichloroethene and tetrachloroethene 501–512  
Arsenic release to groundwater, Bangladesh and West Bengal 403–413  
Assessing thermal and chemical history of fluids in crystalline rocks by fluid inclusions and isotopes in fracture calcite 1417–1437  
Ba/Sr, Ca/Sr and  $^{87}\text{Sr}/^{86}\text{Sr}$  in soil water and groundwater 311–325  
 $^{14}\text{C}$  dating of groundwater 583–597  
Characterization of groundwater humic substances 97–116  
Climatic and vegetation conditions and the geochemical and isotopic compositions in the Franconian Albvorland aquifer 1191–1201

- Comparison of  $4\text{He}$  and  $^{14}\text{C}$  ages in simple aquifer systems 1137–1167  
Controls on salinization of the Ogallala aquifer, Texas 849–864  
Evolution of gas and aqueous fluid in argillaceous rocks in the Swiss Alps 211–234  
Fluid characterisation and modelling of water-rock equilibria, Boom clay formation and Rupellian aquifer, Belgium 667–686  
Geochemical and B, O and H isotopic constraints on origin of salinity in groundwaters 937–952  
Geochemical and isotopic characterisation of the Bathonian and Bajocian aquifer, Caen 791–805  
Geochemistry of formation waters in the Po plain, Italy 51–65  
Groundwater colloid properties, a global approach 1043–1051  
In situ generation of humic and fulvic acids in groundwater 819–832  
Origin and mobility of humic colloids in the Gorleben aquifer 171–179  
REE, and Nd and Sr isotopes in mineral waters 1345–1367  
Residence time indicators in groundwater 737–752  
“Rust” contamination of formation waters from producing wells 1527–1533  
Sr and Pb isotopes to identify water sources beneath landfill 493–500  
Sr isotopes in groundwaters and streams affected by agriculture 599–609  
Stable C isotope biogeochemistry in a sand aquifer contaminated with hydrocarbons 157–169  
Transient calcite fracture fillings in a welded tuff 1495–1504

#### Radioactive waste disposal

- Kinetics and mechanisms of simulated British Magnox waste glass dissolution 1399–1416  
Natural analogue of nuclear waste glass in compacted bentonite 141–155  
Orthophosphate complexing agents to investigate limitation of alteration kinetics of nuclear glass 1505–1525  
Trace metal-humate interactions, experimental determination of stability constants 953–973

#### Thermal water

- Fluid chemistry of the Aqwi Terme-Visone geothermal area, Italy 917–935  
Influence of water-rock interaction on chemistry of thermal springs, western Canada 439–454  
Surface distribution and transport of Al in the Te Kopia geothermal field, New Zealand 1121–1136  
Water and gas geochemistry of the Euganean and Berican thermal district, Italy 455–457

#### Weathering

- Abiological formation of formic acid in nature 91–95  
Chemical dynamics and weathering rate of a carbonate basin 67–77  
Early weathering of Pd-Au in lateritic conditions 245–263  
Impact of N-fertilizers on natural weathering-erosion and fluvial transport 865–878

## GENERAL GEOCHEMISTRY

### Mathematical

Numerical analysis of hydrogeochemical data: a case study 1053–1067

## MINERAL RESOURCES

Hydrothermal alteration of felsic volcanic rocks associated with massive sulphide deposits 1265–1290

Native Au in mineral precipitates from high temperature volcanic gases 337–346

REE patterns in waters associated with Zn-Pb massive sulphide deposits 695–723

Short-chain carboxylates in fluid inclusions in minerals 13–25

### Exploration

Methane-rich fluid inclusions in Pb-Zn-Ag deposit, use in exploration 1–12

Regional geochemical reconnaissance of the Cordillera Occidental, Ecuador 531–550

## MODELLING

Aquifer disposal of acid gases, modelling water-rock interaction 1085–1095

Experimental modelling of Pt sorption on organic matter 777–784

Geochemical modelling to predict As concentrations in pit lake 475–492

Modelling Hg vapour transport in an ancient hydrothermal system 281–294

Multivariate modelling for discrimination of hydrocarbon source rocks 611–627

Process model of natural attenuation in drainage from historic mining district 655–666

Trace metal-humate interactions, the “conservative roof” model and its applications 975–1001

## OTHER TOPICS

### Erratum

1069

## SUBJECT INDEX

- Acid mine drainage 1003
  - Fe(III) precipitates in 27
  - remediation of 27, 1331
- Acid, production from sulfide mineral weathering 235
- Acid volatile sulfide
  - in precipitates from AMD treatment 1331
- in resuspended sediment 191
- Acqui Terme-Visone geothermal area, Piemonte, Italy 917
- Ag
  - in lake sediment 807
  - in nuclear glass 1505
  - in pyrite 1219
- in river water 629
- in soil 281, 513
- in stream sediment 531, 629, 807
- mobility during lateritic weathering 245
- Al
  - in lake sediment 807
  - in mine drainage 655, 1003
  - in nuclear glass 1399, 1505
  - in nuclear glass leachate 1399
  - in pit lake waters 475
  - in precipitates from AMD treatment 1331
  - in rain 311
  - in river water 629, 1003
  - in snow 311
  - in stream sediment 531, 807
- in surface water 695
- in tailings 1097, 1245
- in thermal water 1121
- in vegetation 1121
- mobility in geothermal systems 1121
- Alberta Basin, Western Canada 1085, 1527
- Alberta, Canada 67, 455
- Allen River, Cornwall, England, U.K 725
- Alluvium, transport of contaminant metals in 35
- Almeria, Spain 1469
- Alto Guadalentin aquifer, SE Spain 1053
- Am, humate complex 975
- Amino acids, in hydrothermally altered sediments 1169
- Anacosta River basin, U.S.A. 901
- Antarctica, Scott Base 513
  - contamination of 513
- Antskog, Finland 807
- Ar, in thermal gas 455
- <sup>40</sup>Ar, in thermal gas 455
- Arizona, U.S.A. 35
- As
  - human health problems of 181, 403
  - in Fe oxyhydroxides 403

- in gas reservoir rocks 1317
- in goethite 1219
- in groundwater 403
- in jarosite 1219
- in lake sediment 807
- in pit lake waters 475
- in pore water 191
- in pyrite 1219
- in reservoir sediment 1219
- in reservoir waters 1219
- in resuspended sediment 191
- in sediment 181, 403
- in soil 181, 281, 513
- in stream sediment 531, 807
- in surface water 181
- in tailings 181, 1097
- in urine 181
- in volcanic gas 337
- sorption of 475

Äspö, Sweden 1043

Au

- in pyrite 1219
- in river water 629
- in soil 281
- in stream sediment 531, 629
- in volcanic gas 337
- mining, Brazil 181, 245
  - contamination from 181
- mobility during lateritic weathering 245
- mobility from tailings 629

Australia

- Duggald River mineral deposit, Queensland 1
- La Trobe Valley, Victoria 1019
- Myall Lake, New South Wales 1019
- Swan River, W. Australia 551

B

- in groundwater 493, 937
- in nuclear glass 1399, 1505
- in nuclear glass leachate 1399
- in tailings 1097
- in thermal water 917
- in volcanic gas 337

<sup>11</sup>B, in groundwater 937

Ba

- in gas reservoir rocks 1317
- in groundwater 311, 737
- in nuclear glass 1399, 1505
- in rain 311
- in river water 311
- in snow 311
- in soil 281

- in stream sediment 531
  - in stream water 311
  - in tailings 1097
  - in volcanic gas 337
- Bad Säcking spring, Switzerland 1043
- Banded Iron Formation 245
- Banff National Park, Alberta, Canada 67
- Bangladesh 403
- Bathonian and Bajocian aquifer, Caen, N France 791
- Bathurst Mining Camp, New Brunswick, Canada 695
- Be, in tailings 1097
- Belgium, Mol 667
- Betic Cordillera, Spain 281, 1053
- Bi
  - in pyrite 1219
  - in stream sediment 531
  - in tailings 1097
- Blackwater River, Surrey/Hampshire, England, U.K. 425
- Bologna, Italy 1455
- Boso Peninsula, Japan 141
- Bow River, Alberta, Canada 67
- Br
  - in groundwater 51, 141, 667, 737, 785, 849, 937
  - in pore water 667
  - in soil 281
- Brazil, Minas Gerais 181, 245, 1043
- Brine, origin of in groundwater 51
- British Columbia, Canada 439, 753
- C
  - in gas reservoir rocks 1317
  - in groundwater 97, 157, 171, 493, 583, 807, 1043, 1191
  - in hydrothermally altered sediment 1160
  - in resuspended sediment 191
- <sup>13</sup>C
  - in calcite 1417, 1495
  - in fluid inclusions 211
  - in groundwater 51, 157, 583, 667, 737, 791, 807, 1191
  - in marble 1469
  - in pore water 667
  - in thermal gas 455
  - in thermal water 439
- <sup>14</sup>C
  - dating of calcite 1495
  - dating of groundwater 583, 1137, 1191
  - in groundwater humic substances 97
- Ca
  - humate complex 953, 975
  - in clay 647
  - in fertilizer 599
  - in groundwater 51, 97, 141, 157, 311, 403, 599, 667, 737, 791, 849, 937, 1043, 1053, 1383

- in humus 647
- in lake sediment 807
- in mine drainage 655, 1003, 1383
- in nuclear glass 1505
- in peat 647
- in pit lake waters 475
- in pore water 667
- in precipitates from AMD treatment 1331
- in precipitation 1455
- in rain 311
- in river water 67, 311, 629, 865, 1003
- in snow 311
- in soil 385, 647
- in soil water 311
- in stream sediment 531, 647, 807
- in surface water 695
- in tailings 1097, 1245
- in thermal water 439, 455, 917
- in till 647
- in volcanic gas 337
- Caen, N. France 791
- Calcite
  - for assessing past thermal and fluid history of rock formations 1417
  - influence on porosity 1495
  - solubility in KOH 327
- California, U.S.A. 1219
- Canada
  - Alberta 67, 439
  - Alberta Basin 1085, 1527
  - British Columbia 439, 753
  - Manitoba 1043
  - New Brunswick 191, 629, 695
  - Ontario 1245, 1331, 1439
  - Quebec 191
  - Saguenay Fjord 191
  - Saskatchewan 1043, 1097
  - Yukon Territory 439
- Cape Kalamba, Lake Tanganyika, Democratic Republic of the Congo 355
- Cathodoluminescence, of marble 1469
- Cd
  - in lake sediment 807
  - in nuclear glass 1505
  - in soil 281, 513
  - in stream sediment 531, 807
  - in surface water 181
  - in tailings 1097
  - in urine 181
  - in volcanic gas 337
- Ce
  - in estuary sediments 551
  - in groundwater 695
  - in mineral water 1345

- in nuclear glass 1399, 1505
  - in stream sediment 1369
  - in surface water 695
- Celtis Australis* 891
- Cf, humate complex 975
- CH<sub>4</sub>
  - in fluid inclusions 1, 211
  - in groundwater 157
  - in thermal gas 455
- Chernobyl 833
- Chesapeake Bay, U.S.A. 901
- China
  - Enshi District, Hubei Province 117
  - Pearl River, S.China 567
  - Zhangjiakou District, Hebei Province 385
- Chloritization, chemistry of 1265
- Chromate analogue of ettringite
  - characterization of 1203
  - solubility of 1203
  - synthesis of 1203
- Cigar Lake, Saskatchewan, Canada 1043
- Cl
  - in fluid inclusions 13
  - in groundwater 51, 97, 141, 171, 403, 599, 667, 695, 737, 791, 849, 937, 1053, 1191, 1393
  - in mine drainage 655, 1393
  - in pore water 667
  - in precipitation 1455
  - in river water 67, 629, 865
  - in surface water 695
  - in tailings 1097
  - in thermal water 439, 455, 917
  - in volcanic gas 337
- Co
  - humate complex 953, 975
  - in estuary sediment 551, 567
  - in formation water 1527
  - in gas reservoir rocks 1317
  - in lake sediment 807
  - in nuclear glass 1505
  - in pyrite 1219
  - in soil 281
  - in stream sediment 531, 807
  - in tailings 1097
  - in volcanic gas 337
- CO, in thermal gas 455
- CO<sub>2</sub>
  - as extractant of hydrocarbons from geological samples 79
  - flooding of reservoir rocks 265
  - in fluid inclusions 1
  - in groundwater 1053
  - in natural gas 1027
  - in thermal gas 455

- CO<sub>3</sub>, in groundwater 791
- Colima volcano, Mexico 337
- Colloids, in groundwater 171
- Colorado, U.S.A. 1003, 1495
- Cordillera Occidental, Ecuador 531
- Cornwall, England, U.K. 725
- Cr
  - in formation water 1527
  - in lake sediment 807
  - in nuclear glass 1399, 1505
  - in reservoir sediment 1219
  - in soil 281, 513
  - in stream sediment 531, 807
  - in tailings 1097
  - in volcanic gas 337
  - sorption, by clays 1307
- Cr(VI), reduction by Fe containing phyllosilicates 1307
- Cs
  - in groundwater 737, 1035
  - in nuclear glass 1399, 1505
  - radioactive, diffusion in sediments 833
  - sorption by bacterial Fe oxide 1035
- <sup>134</sup>Cs, in lake sediment 833
- <sup>137</sup>Cs
  - in lake sediment 833
  - in lake water 833
- Cu
  - in clay 647
  - in estuary sediment 551, 567, 753
  - in gas reservoir rocks 1317
  - in groundwater 1383
  - in humus 647
  - in lake sediment 807
  - in mine drainage 655, 1003, 1383
  - in peat 647
  - in pyrite 1219
  - in river water 629, 1003
  - in soil 281, 385, 513, 647
  - in stream sediment 531, 647, 807
  - in tailings 1097
  - in thermal water 439
  - in till 647
  - in volcanic gas 337
- Cumbria, England, U.K. 833
- Democratic Republic of the Congo 355
- Diagenesis
  - of archaeological human teeth and bones 687
  - of bituminous sandstones 1317
  - of estuary sediments 551
  - of freshwater sediments 1439
  - of sandstones 295, 1073

- modelling 295, 1073
- Disposal, of acid wastes 1085
- Dy
  - in groundwater 695
  - in mineral water 1345
  - in stream sediment 1369
  - in surface water 695
- East African Rift 355
- East Midlands, England, U. K. 737
- Ecuador, Cordillera Occidental 531
- England
  - Cornwall 725
  - County Durham 1383
  - Cumbria 833
  - East Midlands 737
  - Hampshire 425
  - Surrey 425
  - Yorkshire 425
- Enshi District, Hubai, China 117
- Er
  - in groundwater 695
  - in mineral water 1345
  - in stream sediment 1369
  - in surface water 695
- Errorum 1069
- Esthwaite Water, Cumbria, England, U.K. 833
- Eu
  - humate complex 953, 975
  - in groundwater 695
  - in mineral water 1345
  - in stream sediment 1369
  - in surface water 695
- Everglades, Florida, U.S.A. 369
- F
  - in fluid inclusions 13
  - in groundwater 737, 791
  - in thermal water 917
  - in volcanic gas 337
- Fe
  - in formation water 1527
  - in groundwater 51, 141, 157, 311, 403, 667, 1383
  - in lake sediment 807, 1439
  - in mine drainage 655, 1003, 1383
  - in nuclear glass 1399, 1505
  - in nuclear glass leachate 1399
  - in pit lake waters 475
  - in pore water 191, 667, 1439
  - in precipitates from AMD treatment 1331
  - in rain 311
  - in reservoir sediment 1219

- in resuspended sediment 191
  - in river water 311, 629, 1003
  - in snow 311
  - in soil 385, 513
  - in stream sediment 531, 807
  - in surface water 695
  - in tailings 1097, 1245
  - in thermal water 439
  - in volcanic gas 337
  - release from tailings, laboratory simulation 1245
- Fe(II)/Fe(III), determination in water 785
- Fe/Mn coatings
  - on gastropod shell 725
  - on stream pebbles 725
- Ferrozine, for determination of Fe in water 785
- Finland 647
  - Antskog 807
  - Olkiluoto research site 1417
- Firenze, Italy 891
- Florida, U.S.A. 369
- Fluid inclusions
  - CH<sub>4</sub> in 1, 211
  - Cl<sup>-</sup> in 13
  - CO<sub>2</sub> in 1
  - F<sup>-</sup> in 13
  - hydrocarbons in 211
  - in calcite 1417
  - Short-chain carboxylates in 13
  - SO<sub>4</sub><sup>2-</sup> in 13
  - use in mineral exploration 1
- Formation water, contamination of in producing wells 1527
- Formic acid, formation on rocks 91
- France
  - Caen 791
  - Garonne River 865
  - Massif Central 1345
  - Thau Lake 1291
  - The Alps 1469
  - The Pyrenees 1469
- Franconian Albvorland aquifer, Germany 97, 1191
- Fraser River, British Columbia, Canada 753
- Fuhrberg aquifer, Germany 97, 819
- Fulvic acid, effect on sorption 133
- Ga, in stream sediment 531
- Gabon, Oklo 1043
- Garonne River, France 865
- Gd
  - in groundwater 695
  - in mineral water 1345
  - in stream sediment 1369
  - in surface water 695

- Geochemical baseline, definition 647
- Geochemical exploration 531
- Geochemical reconnaissance 531
- Germany 97, 171, 583, 819, 937, 1043, 1191
- Getchell mine, Humboldt County, Nevada, U.S.A. 475
- Gorleben aquifer, Germany 97, 171, 583, 819, 1043
- Greece 1469
- Grimsel Test Site, Switzerland 1043
- Groundwater
  - colloids in 171, 1043
  - contamination by agriculture 599
  - contamination by landfill leachate 493
  - dating 583, 1137
  - evolution of 791, 937
  - humic and fulvic acids in 819
  - humic substances in 97
  - hydrocarbon contamination of 157
  - mineralised 1345
  - modelling water-rock equilibria in 667
  - numerical analysis of chemical data for 1053
  - origin of brines in 51
  - residence time indicators in 737
  - salinization of 849
  - thermal 439, 455, 917
  - thermal and chemical history of 1417
- Gulf of Mexico basin 1071
- H<sub>2</sub>, in thermal gas 455
- <sup>2</sup>H
  - in groundwater 51, 211, 583, 667, 737, 791, 849, 937, 1383
  - in fluid inclusions 211
  - in mine drainage 1383
  - in pore water 667
  - in thermal water 439, 455, 917
- <sup>3</sup>H, in groundwater 97, 583, 667, 819
- Hampshire, England, U.K. 425
- HBO<sub>3</sub>, in groundwater 141
- HCO<sub>3</sub>
  - in groundwater 97, 141, 403, 695, 737, 791, 849, 937, 1053
  - in pit lake waters 475
  - in precipitation 1455
  - in river water 67, 629, 865
  - in surface water 695
  - in thermal water 439
- He, in thermal gas 455
- <sup>3</sup>He, in thermal gas 455
- <sup>4</sup>He, dating of groundwater 1137
- Hebei Province, China 385
- Hg
  - as pathfinder for Au 281
  - in atmosphere 281
  - in soil 281

- in soil gas 281
  - in stream sediment 531
  - in surface water 181
  - in urine 181
  - mobilisation in old mining areas 281
- Ho
  - in groundwater 695
  - in mineral water 1345
  - in stream sediment 1369
  - in surface water 695
- HS<sup>-</sup>, in groundwater 818
- H<sub>2</sub>S
  - in groundwater 819
  - in natural gas 1527
  - in thermal gas 455
  - in thermal water 439
- Hubei Province, China 117
- Humic substances, characterisation of 1019
- Hydrocarbons
  - in fluid inclusions 211
  - in groundwater 157
  - in lake sediments 355
  - in source rocks 611
  - in thermal gas 455
  - hydrothermal 355
  - speciation of in geological samples 79
- Hydrothermally altered sediments, amino acids in 1169
- I
  - in groundwater 51, 141, 737
  - sorption of 133
- Iberian Pyrite Belt, SW Spain 1265
- India, West Bengal 403
- Iron Quadrangle, Minas Gerais, Brazil 181
- Isotopes
  - Ar 455
  - B 937
  - C 51, 97, 157, 211, 439, 455, 583, 667, 737, 791, 819, 1137, 1191, 1417, 1469, 1495
  - Cs 833
  - H 51, 97, 211, 439, 455, 583, 667, 737, 791, 819, 849, 917, 937, 1383
  - He 455, 1137
  - O 51, 211, 439, 455, 583, 667, 737, 791, 849, 917, 937, 1191, 1383, 1417, 1469, 1495
  - Nd 1345
  - Pb 493, 891, 1097, 1317
  - Ra 1317
  - S 439, 667, 791, 1455
  - Sr 51, 311, 493, 599, 687, 849, 1345
  - Th 1097
  - U 369, 1317
- Italy, 1469
  - Bologna 1455
  - Euganean and Berician thermal district 455

- Firenze 891
- Piemonte 917
- Po Valley 51
- The Alps 1469
- Japan, Boso Peninsula 141
- Juan de Fuca Ridge, N. Pacific Ocean 1169
- K
  - in fertilizer 599
  - in groundwater 51, 97, 141, 311, 403, 599, 667, 737, 791, 849, 937, 1043, 1053, 1383
  - in lake sediment 807
  - in mine drainage 1383
  - in pit lake waters 475
  - in pore water 667
  - in rain 311
  - in river water 311, 629, 865
  - in snow 311
  - in soil water 311
  - in stream sediment 531, 807
  - in tailings 1097
  - in thermal water 439, 455, 917
  - in volcanic gas 337
- Kalix River, N. Sweden 311
- Kentucky, U.S.A. 27
- Keshan Disease 117, 385
- La
  - in estuary sediment 551
  - in groundwater 695
  - in mineral water 1345
  - in nuclear glass 1399, 1505
  - in stream sediment 531, 1369
  - in surface water 695
- Lake Tanganyika, East African Rift, 355
- Landfill leachate, contamination of groundwater 493
- Leuggern bore hole, Switzerland 1043
- Li
  - in groundwater 667, 737, 1137
  - in nuclear glass 1399, 1505
  - in nuclear glass leachate 1399
  - in pore water 667
  - in stream sediment 531
  - in thermal water 439, 917
- Lithuania 647
- Locust Grove, Maryland, U.S.A. 599
- Lu
  - in groundwater 695
  - in mineral water 1345
  - in stream sediment 1369
  - in surface water 695

- Manitoba, Canada 1043  
 Marble, identification of source 1469  
 Maryland, U.S.A. 599, 901  
 Massif Central, France 1345  
 Massive sulphide, hydrothermal alteration of 1265  
 Menzenchwand U mine, Switzerland 1043  
 Mexico, Colima volcano 337  
 Mg  
     in clay 647  
     in fertilizer 599  
     in groundwater 51, 97, 141, 311, 403, 599, 667, 695, 737, 791, 849, 937, 1043, 1053, 1383  
     in humus 647  
     in lake sediment 807  
     in mine drainage 655, 1003, 1383  
     in nuclear glass 1399  
     in nuclear glass leachate 1399  
     in peat 647  
     in pit lake waters 475  
     in pore water 667  
     in precipitation 1455  
     in rain 311  
     in river water 67, 311, 629, 865, 1003  
     in snow 311  
     in soil 385, 647  
     in soil water 311  
     in stream sediment 531, 647, 807  
     in surface water 695  
     in tailings 1097  
     in thermal water 439, 455, 917  
     in till 647  
     in volcanic gas 337  
 Michigan, U.S.A. 157  
 Minas Gerais, Brazil 181, 245, 1043  
 Mineralisation  
     Ag-Pb-Zn 1  
     Au 181, 245, 337, 1219  
     Ba-Ag 281  
     F-Pb 1383  
     Massive sulphide 629, 695, 807, 1265  
     Precious metal 281  
 Mn  
     in estuary sediment 551  
     in formation water 1527  
     in groundwater 403, 667, 737  
     in lake sediment 807, 1439  
     in mine drainage 1003  
     in nuclear glass 1505  
     in pore water 191, 667, 1439  
     in pyrite 1219  
     in reservoir sediment 1219  
     in resuspended sediment 191  
     in river water 629, 1003

- in soil 385, 513
  - in stream sediment 531, 807
  - in surface water 695
  - in tailings 1097
  - in thermal water 439
  - in volcanic gas 337
- Mn/Fe coatings
  - on gastropod shell 725
  - on stream pebbles 725
- Mo
  - in groundwater 737
  - in nuclear glass 1399, 1505
  - in soil 281
  - in stream sediment 531
  - in tailings 1097
  - in volcanic gas 337
- Modelling
  - Au precipitation from volcanic gas 337
  - chemical evolution of pit lake water 475
  - contaminant metal transport in alluvium 35
  - diagenesis 295
  - Hg vapour transport 281
  - metal-humate interaction 975
  - multivariate, to discriminate hydrocarbon source rocks 611
  - natural attenuation in mine drainage 655
  - Si mobility in river sediments 425
  - sources of river water 311
  - water-rock equilibria 667
  - water-rock interaction with acid wastes 1085
- Morpo de Ferro, Minas Gerais, Brazil 1043
- Mother Lode Gold District, California, U.S.A. 1219
- Munich aquifer, Germany 97, 819
- Murray Brook massive sulphide deposit, New Brunswick, Canada 629
- N
  - impact on weathering 865
  - in fertilizer 599, 865
  - in hydrothermally altered sediment 1169
- N<sub>2</sub>, in thermal gas 455
- Na
  - in fertilizer 599
  - in groundwater 51, 97, 141, 311, 403, 599, 667, 737, 791, 849, 937, 1043, 1053, 1383
  - in mine drainage 1383
  - in nuclear glass 1399, 1505
  - in nuclear glass leachate 1399
  - in pit lake waters 475
  - in pore water 667
  - in precipitation 1455
  - in rain 311
  - in river water 67, 311, 629, 865
  - in snow 311
  - in soil water 311

- in stream sediment 531
  - in tailings 1097
  - in thermal water 439, 455, 917
  - in volcanic gas 337
- Namibia 1137
- Nb, in stream sediment 531
- Nd
  - in groundwater 695
  - in mineral water 1345
  - in nuclear glass 1399, 1505
  - in stream sediment 1369
  - in surface water 695
- 147Nd, in mineral water 1345
- Ne, in thermal gas 455
- Nevada, U.S.A. 475, 1043
- New Brunswick, Canada 191, 629, 695
- New Mexico, U.S.A. 655, 1137
- New South Wales, Australia 1019
- New York, U.S.A. 493
- New Zealand, Taupo Volcanic Zone 1121
- NH<sub>4</sub>
  - in groundwater 493
  - in precipitation 1455
- Ni
  - humate complex 953, 975
  - in clay 647
  - in estuary sediment 551, 567
  - in formation water 1527
  - in gas reservoir rocks 1317
  - in humus 647
  - in lake sediment 807
  - in nuclear glass 1399, 1505
  - in peat 647
  - in pyrite 1219
  - in reservoir sediment 1219
  - in soil 281, 513, 647
  - in stream sediment 531, 647, 807
  - in tailings 1097
  - in till 647
  - in volcanic gas 337
- NO<sub>3</sub>
  - in groundwater 157, 403, 599, 737, 791, 849, 1053, 1191
  - in precipitation 1455
  - in river water 629, 865
  - in thermal water 439, 917
- North Pennine Orefield, England, U.K. 1383
- Norway 295, 611, 1245
- Nova Lima, Minas Gerais, Brazil 181
- Np, humate complex 953, 975
- Nuclear waste
  - disposal 1417
  - glass

alteration of 1505  
leaching of 141, 1399, 1505  
natural analogue 141  
management 327  
repository 953  
Numerical analysis, of hydrogeochemical data 1053

O<sub>2</sub>  
in groundwater 157, 819  
in pit lake waters 475

18O  
geothermometry 1417  
in calcite 1417, 1495  
in fluid inclusions 211  
in groundwater 51, 211, 583, 667, 737, 791, 849, 937, 1191, 1383  
in marble 1469  
in mine drainage 1383  
in pore water 667  
in thermal water 439, 455, 917

Ogallala aquifer, Texas, U.S.A. 849

Oklo, Gabon 1043

Olkiluoto research site, Finland 1417

Ontario, Canada 1245, 1331, 1439

Organochlorine pesticides 901

P  
in clay 647  
in humus 647  
in nuclear glass 1399, 1505  
in peat 647  
in soil 647  
in stream sediment 647  
in tailings 1097  
in till 647

Pb  
in estuary sediment 551, 567, 753  
in Fe/Mn coatings 725  
in gas reservoir rocks 1317  
in groundwater 1035, 1383  
in lake sediment 807, 1291  
in mine drainage 655, 1003, 1383  
in pyrite 1219  
in river water 629, 1003  
in soil 281, 513  
in stream sediment 531, 807  
in tailings 1097  
in tree rings 891  
in urban aerosols 891  
in volcanic gas 337  
sorption by bacterial Fe oxide 1035

<sup>206</sup>Pb  
in groundwater 493

- in lake sediment 1291
  - in tree rings 891
  - in urban aerosols 891
- $^{206}\text{Pb}/^{207}\text{Pb}$ , to identify sources of Pb 1291
- $^{207}\text{Pb}$ 
  - in groundwater 493
  - in lake sediment 1291
  - in tree rings 891
  - in urban aerosols 891
- $^{208}\text{Pb}$ 
  - in groundwater 493
  - in lake sediment 1291
  - in tree rings 891
  - in urban aerosols 891
- $^{210}\text{Pb}$ 
  - in gas reservoir rocks 1317
  - in tailings 1097
- Pd, mobility during lateritic weathering 245
- Pearl River, S. China 567
- Pecos mine, New Mexico, U.S.A 655
- Pecos River, New Mexico, U.S.A. 655
- Petroleum, hydrothermal 355
- Piemonte, Italy 917
- Pinal Creek, Arizona. U.S.A. 35
- $\text{PO}_4$ 
  - in groundwater 819
  - in surface water 695
- Po, in tailings 1097
- Polychlorinated biphenols 901
- Polycyclic aromatic hydrocarbons 901
- Potamopyrgus (Hydrobia) jenkinsi 725
- Potomac River, U.S.A. 901
- Po Valley, Italy 51
- Pr
  - in groundwater 695
  - in mineral water 1345
  - in nuclear glass 1399, 1505
  - in surface water 695
- Pt
  - accumulation in C-bearing rocks 777
  - sorption on organic matter 777
- Pyrite, in precipitates from AMD treatment 1331
- Quebec, Canada 191
- Queensland, Australia 1
- Rabbit Lake U mine, Saskatchewan, Canada 1097
- Ra
  - in gas reservoir rocks 1317
  - in tailings 1097
- Rb
  - in groundwater 737

in nuclear glass 1399  
 Re, coprecipitation with FeS 347  
 Ru, in nuclear glass 1399  
 Rupelian aquifer, Mol, Belgium 667

S

in clay 647  
 in gas reservoir rocks 1317  
 in groundwater 311  
 in humus 647  
 in lake sediment 1439  
 in peat 647  
 in precipitates from AMD treatment 1331  
 in rain 311  
 in river water 311  
 in snow 311  
 in soil 647  
 in stream sediment 647  
 in tailings 1245  
 in till 647

S<sup>2-</sup>, in groundwater 157

34S

in groundwater 667, 791  
 in precipitation 1455  
 in thermal water 439

Saguenay Fjord, Canada 191

San Juan Basin, New Mexico, U.S.A. 1137

Santa Barbara, Minas Gerais Brazil 181

Saskatchewan, Canada 1043, 1095

Sb

in nuclear glass 1505  
 in pyrite 1219  
 in soil 281  
 in stream sediment 531  
 in tailings 1097  
 in volcanic gas 337  
 speciation in alkaline solution 879  
 transport in solution 879

Sc

in soil 281  
 in stream sediment 531

Scott Base, Antarctica 513

Se

human deficiency diseases 117, 385  
 human toxicity diseases 117  
 in drinking water 117, 385  
 in grain 117, 385  
 in human hair 117, 385  
 in lake sediment 1439  
 in pore water 1439  
 in soil 117, 385  
 in volcanic gas 337

- sorption 133, 1439
- Sericitization, chemistry of 1265
- Short chain carboxylates, in fluid inclusions 13
- Si
  - in clay 647
  - in groundwater 311, 737, 849
  - in humus 647
  - in mine drainage 1003
  - in nuclear glass 1399, 1505
  - in nuclear glass leachate 1399
  - in peat 647
  - in pit lake waters 475
  - in pore water 425
  - in rain 311
  - in river water 311, 629, 865, 1003
  - in snow 311
  - in soil 647
  - in soil water 311
  - in stream sediment 647
  - in surface water 695
  - in tailings 1097, 1245
  - in till 647
  - in thermal water 439, 455, 917, 1121
  - in volcanic gas 337
- Silverton, Colorado, U.S.A. 1003
- Sm
  - in groundwater 695
  - in mineral water 1345
  - in nuclear glass 1399
  - in stream sediment 1369
  - in surface water 695
- Sn
  - in nuclear glass 1505
  - in soil 281
  - in stream sediment 531
- Snowshoe Mountain, Colorado, U.S.A. 1495
- SO<sub>4</sub>
  - desorption from Fe(III) precipitates in AMD 27
  - in fluid inclusions 13
  - in groundwater 51, 97, 141, 157, 171, 403, 667, 695, 737, 791, 819, 849, 937, 1053, 1191, 1383
  - in mine drainage 655, 1003, 1383
  - in pit lake waters 475
  - in pore water 667
  - in precipitation 1455
  - in river water 67, 629, 865, 1003
  - in surface water 695
  - in tailings 1097
  - in thermal water 439, 455, 917
  - in volcanic gas 337
  - release from tailings, laboratory simulation 1245
- South China Sea 567

- Spain
  - Almeria 1469
  - Betic Cordillera 281, 1053
  - Iberian Pyrite Belt 1265
- Sr
  - in fertilizer 599
  - in groundwater 51, 311, 493, 599, 737, 849, 1035
  - in mineral water 1345
  - in nuclear glass 1399, 1505
  - in rain 311
  - in river water 311
  - in snow 311
  - in soil water 311
  - in stream sediment 531
  - in tailings 1097
  - in thermal water 439
  - in volcanic gas 337
  - sorption by bacterial Fe oxide 1035
- 87 Sr
  - in archaeological human teeth 687
  - in fertilizer 599
  - in groundwater 51, 311, 493, 599, 849
  - in mineral water 1345
  - in river water 311
  - in soil water 311
- Sri Lanka, Walawe Ganga Basin 1369
- Staten Island, New York, U.S.A. 493
- Sudbury, Ontario, Canada 1439
- Surrey, England, U. K. 425
- Swale River, N. Yorkshire, England, U.K. 425
- Swan River, W. Australia 551
- Sweden, 415
  - Äspö 1043
  - Kalix River 311
  - Stråssa Mine 1035
- Switzerland 937, 1043
  - The Alps 211
- Ta, in stream sediment 531
- Taupo Volcanic Zone, New Zealand 1121
- Tb
  - in groundwater 695
  - in mineral water 1345
  - in surface water 695
- Tc
  - coprecipitation with FeS 347
  - mobility in environment 347
- Te
  - in nuclear glass 1505
  - in stream sediment 531
- Te Kopia geothermal field, Taupo, New Zealand 1121
- Tetrachloroethane

- in groundwater 501
  - solubility 501
- Texas, U.S.A. 849, 1137
- Th
  - in estuary sediment 551
  - in gas reservoir rocks 1317
  - in groundwater 1137
  - in lake sediment 1291
  - in nuclear glass 1505
- <sup>230</sup>Th, in tailings 1097
- Thau Lake, France 1291
- Thermal gases, chemistry of 455
- Thermal waters, Chemistry of 439, 455, 917
- Ti
  - in stream sediment 531
  - in tailings 1097
  - in thermal waters 1121
  - in volcanic gas 337
- Tl, in volcanic gas 337
- Tm
  - in groundwater 695
  - in mineral water 1345
  - in surface water 695
- Transitgas Tunnel, Switzerland 1043
- Trichloroethane
  - in groundwater 501
  - solubility 501
- Turkey 1469
- U
  - humate complex 953, 975
  - in estuary sediment 551
  - in fertiliser 369
  - in gas reservoir rocks 1317
  - in groundwater 1035, 1137
  - in nuclear glass 1505
  - in peat 369
  - in soil 281, 369
  - in surface water 369
  - in tailings 1097
  - sorption 133
  - sorption by bacterial Fe oxide 1035
- <sup>234</sup>U
  - in fertiliser 369
  - in peat 369
  - in soil 369
  - in surface water 369
  - to trace agricultural contamination 369
- U-Pb dating, of gas reservoir rocks 1317
- United Kingdom, England 425, 725, 737, 1383
- U.S.A.
  - Arizona 35

California 1219  
 Colorado 1003, 1495  
 Florida 369  
 Kentucky 27  
 Maryland 599, 901  
 Michigan 157  
 Nevada 475, 1043  
 New Mexico 655, 1137  
 Staten Island, New York 493  
 Texas 849, 1137  
 Washington, DC 901  
 Wyoming 265

V

in clay 647  
 in estuary sediment 551  
 in formation water 1527  
 in gas reservoir rocks 1317  
 in humus 647  
 in lake sediment 807  
 in peat 647  
 in soil 281, 385, 647  
 in stream sediment 531, 647, 807  
 in tailings 1097  
 in till 647  
 in volcanic gas 337

Victoria, Australia 1019

W, in stream sediment 531

Walawe Ganga Basin, Sri Lanka 1369

Wallenberg, The Alps, Switzerland 211

Washington, DC, U.S.A. 901

Water-rock interaction, 1345

in carbonate basin 67  
 in reservoir rocks during CO<sub>2</sub> flooding 265  
 in thermal springs 439  
 with acid wastes 1085

Weardale, County Durham, England, U.K. 1383

Weathering

impact of N-fertilizers on 865  
 of heavy minerals in soil 415  
 of sulfide minerals 235  
 rates of, in carbonate basin 67  
 role of formic acid in 91

West Bengal, India 403

Whiteshell Research Area, Manitoba, Canada 1043

Wyoming, U.S.A. 265

Y

in nuclear glass 1399, 1505  
 in stream sediment 531

Yb

- in groundwater 695
- in mineral water 1345
- in stream sediment 1369
- in surface water 695
- sorption of 133
- Yorkshire, England, U.K. 425
- Yucca Mountain, Nevada, U.S.A. 1043
- Yukon Territory, Canada 439
- Zhangjiakou District, Hebei Province, China 385
- Zn
  - in clay 647
  - in estuary sediment 551, 567, 753
  - in Fe/Mn coatings 725
  - in groundwater 1383
  - in humus 647
  - in lake sediment 807
  - in mine drainage 655, 1003, 1383
  - in nuclear glass 1505
  - in peat 647
  - in pyrite 1219
  - in reservoir sediment 1219
  - in river water 629, 1003
  - in soil 281, 385, 513, 647
  - in stream sediment 531, 647, 807
  - in tailings 1097, 1245
  - in thermal water 439
  - in till 647
  - in volcanic gas 337
  - release from tailings, laboratory simulation 1245
  - sorption of 133
- Zr
  - in nuclear glass 1399, 1505
  - in stream sediment 531
  - in tailings 1097
- Zurzach well, Switzerland 1043

# AUTHOR INDEX (Erratum-E)

- Aboul-Kassim T. A. T. 355
- Abraitis P.K. 1399
- Acitimbay V. 531
- Adeney J. A. 551
- Africano F. 337
- Ahmed K. M. 403
- Aines R. D. 501
- Andersson E. 1169
- Andersson P. S. 311
- Arai T. 141
- Artinger R. 97, 171, 583, 819, 1191
- Aspden J. A. 531
- Åström M. 807
- Atekwana E. A. 157
- Atkins B. 347
- Aubé B. 1245
- Azaroual M. 1345
- Baez N. 531
- Banner J. L. 849
- Barbecot F. 791
- Barcelona M. J. 157
- Barreiro B. 687
- Barth S. R. 937
- Bassett R. L. 35
- Beaucaire C. 667
- Belzille N. 1439
- Bencala K. E. 1003
- Bencini A. 1455
- Bendell-Young L. I. 753
- Benner S. G. 1331
- Berger A. C. 655
- Bernard A. 337
- Bethke C. M. 655
- Bickford M. E. 493
- Bird D. K. 1219
- Bjørkum P. A. 295
- Blanc P. 1469
- Blomqvist R. 1417
- Blowes D. W. 1331
- Blyth A. 1417
- B—hlke J. K. 599
- Bonaria V. 917
- Borba R. P. 181
- Boyle D. R. 629, 695
- Brach M. 1345
- Brigatti M. F. 1307
- Brown J. G. 35
- Browne P. R. L. 1121
- Buckau G. 97, 171, 583, 819, 1191
- Budd P. 687
- Burgess W. G. 403
- Caliro S. 455
- Campbell I. B. 513
- Castro M. C. 1137
- Cerœn J. C. 1053
- Chandrajith R. 1369
- Charnock J. M. 347, 879
- Chen Y.-W. 1439
- Chiarle M. 51
- Claridge G. G. C. 513
- Clauer N. 865, 1291
- Cocherie A. 1345
- Coles B. J. 567, 725
- Colin F. 245
- Collison D. 347
- Comans R. N. J. 833
- Conti A. 51
- Cortecchi G. 1455
- Cruz E. 531
- Davies G. R. 891
- Degueldre C. 1043
- Denison F. H. 425
- Deschamps E. 181
- Dever L. 791
- Diaz D. 79
- Dibley M. J. 501
- Dinelli E. 1455
- Dissanyake C. B. 1369
- Dollhope D. J. 235
- Donahue R. 1097
- Douglas G. B. 551
- Dunkley P. N. 531
- Dunn T. L. 265
- Edmunds W. M. 737
- Elliot T. 891
- Elliott W. C. 27
- Fagan R. 327
- Fang J. 157
- Ferris F. G. 1035
- Figueiredo B. R. 181
- Font X. 281
- Fordyce F. M. 117
- Fouillac Ch. 1345
- Foster G. D. 901
- Franchini G. 1307
- Frape S. 1417
- Frenzel B. 1191
- Fritz P. 97, 171, 583, 819, 1191
- Fryar A. E. 849
- Furton K. G. 79
- Gabrio T. 181
- Gaibor A. 531
- Gavilanes J.-C. 337
- Ge X. 385
- Geyer S. 97, 171, 583, 819, 1191
- Gherardi F. 455
- Gibert E. 791
- Gin S. 1505

# Author Index

- Glaus M. A. 953, 975  
 Glynn P. D. 35  
 Goodfellow W. D. 629, 695  
 Goodyear K. L. 725  
 Grasby S. E. 67, 439, 1069 (E)  
 Green K. A. 117, 385  
 Gregorauskiene V. 647  
 Gruessner B. 901  
 Guangdi Z. 117  
 Guerrot C. 1345  
 Guidi M. 917, 1455  
 Gunter W. D. 1085  
 Hall G. E. M. 629, 695  
 Hallberg R. O. 1035  
 Hanna J. V. 1019  
 Harrison W. J. 1071  
 Hartog F.A. 1317  
 Helz G. R. 879  
 Hendry M. J. 1097  
 Herbert R. B. Jr. 1331  
 Heymans M. J. 1495  
 Hitchon B. 1527  
 Hilton J. 833  
 Hoch A. R. 1495  
 Holm N. G. 1169  
 Horan M. 599  
 House W. A. 425  
 Hummel W. 953, 975  
 Hunter K. 758  
 Hunziker, J. C. 917  
 Hutcheon I. 67, 439, 1069 (E), 1085  
 Inglett P. W. 785  
 Ingri J. 295  
 Inskeep W. P. 235  
 Ireland D. G. 833  
 Jaffé R. 79  
 Jégou C. 1505  
 Jennings S. R. 235  
 Jiménez-Espinosa R. 1053  
 Jinzhou D. 133  
 Johnson C. C. 385  
 Johnson W. D. 1019  
 Kamei G. 141  
 Kim J. I. 97, 181, 583, 819, 1043, 1191  
 Kimball B. A. 1003  
 Knauss K. G. 501  
 Krishnamurthy R. V. 157  
 Krouse H. R. 439, 1069 (E)  
 Krumhansi J. L. 655  
 Kvalheim O. M. 611  
 Kyz'mina T. V. 777  
 Laaksoharju M. 1043  
 Lafargue E. 79  
 Lancelot J. R. 1291  
 Land M. 311  
 Landine P. 1097  
 Lång L.-O. 415  
 Lapuente M. P. 1469  
 Lechler P. 475  
 Leif R. N. 501  
 Leybourne M. I. 629, 695  
 Li X. 567  
 Li Y. S. 567  
 Likhoidov G. G. 777  
 Liu J. 13  
 Liu X. 385  
 Livens F. R. 347, 1399  
 Lopez E. 531  
 Louvat D. 667  
 Lu X. Q. 1019  
 Lugli C. 1307  
 Lyvén B. 1035  
 Magro G. 455  
 Marini L. 917  
 Marlin C. 791  
 Martin R. 1121  
 Martinelli G. 51  
 Martínez-Frías J. 281  
 Matschullat J. 181  
 Mazurek M. 211  
 McArthur J. M. 403  
 McNeill S. 725  
 Medici L. 1307  
 Mehta S. 849  
 Melfi A. J. 245  
 Mew D. A. 501  
 Miekeley N. 1043  
 Mizuno T. 91  
 Monna F. 1291  
 Monteith J. E. 1399  
 Montgomery J. 687  
 Mosselmans J. F. W. 879  
 Motellier S. 667  
 Mucci A. 191  
 Murphy W. M. 295  
 Nadeau P. H. 295  
 Nahon D. 245  
 Narnov G. A. 777  
 Navarro-Flores A. 281  
 Négrel Ph. 1345  
 Nickson R. T. 403  
 Nissinen P. 1417  
 Nolan L. 833  
 Nylund K. 807  
 O'Day P. A. 1219  
 Odden W. 611  
 Oelkers E. H. 295  
 Ogawa H. 91  
 Öhlander B. 311  
 Ohta K. 91  
 Orem W. H. 369  
 Orrell S. E. 493  
 Ottonello G. 917  
 Palmer C. D. 1203

# Author Index

- Panetti re P. 1455  
 Panichi C. 455  
 Pattrick R. A. D. 347, 879  
 Pedersen K. 1035  
 Pennisi M. 455  
 Perkins E. H. 1085  
 Perkins R. B. 1203  
 Pitsch H. 667  
 Plyusnina L. P. 777  
 Poppi L. 1307  
 Price J. 475  
 Probst J. L. 865  
 Pulido-Bosch A. 1053  
 Ramsey M. H. 567  
 Ravenscroft P. 403  
 Reardon E. J. 327  
 Reddy M. M. 1495  
 Roberts E. C. Jr. 901  
 Rodgers K. A. 1121  
 Rose S. 27  
 Roychoudhury A. N. 785  
 Sacchi E. 51  
 Salminen R. 647  
 S nchez-Espa a J. 1265  
 Saulnier I. 191  
 Savage K.S. 1219  
 Schemel L. E. 1003  
 Schlosser P. 1137  
 Schmidt A. P. 1317  
 Schuiling R. D. 1317  
 Schwenk M. 181  
 Semhi K. 865  
 Sheppard D. S. 513  
 Shevenell L. A. 475  
 Shiraki R. 265  
 Siegel D. I. 493  
 Simmons K. R. 369  
 Simms P. H. 1245  
 Simoneit B. R. T. 355, 1169  
 Small J. S. 1399  
 Smedley P. L. 737  
 Smith J. T. 833  
 St-Arnaud L. 1245  
 Stecko J. R. P. 753  
 Stute M. 1137  
 Suchet P. A. 865  
 Taiwei C. 133  
 Taran Y. A. 337  
 Tempel R. N. 475, 1071  
 Tiercelin J. J. 355  
 Tingle T. N. 1219  
 Thomas R. G. 687  
 Thornton I. 567  
 Tobschall H. J. 1369  
 Tommasini S. 891  
 Toulhoat P. 667  
 Toulkeridis T. 1291  
 Triay I. 1043  
 Trivedi D. P. 1399  
 Turci E. 1307  
 Turi B. 1469  
 Van Cappellen P. 785  
 Van Loon L. R. 953, 975  
 van Os B. J. H. 1317  
 Varaj o C. A. C. 245  
 Vaughan D. J. 879, 1399  
 Velasco F. 1265  
 Velinsky D. J. 901  
 Vernaz E. 1505  
 Vieillard P. 245  
 Viladevall M. 281  
 Vilks P. 1043  
 Viollier E. 785  
 Wai W. H. 567  
 Walderhaug O. 295  
 Warwick M. S. 425  
 Waychunas G. A. 1219  
 Wharton M. J. 347  
 Williams T. M. 531  
 Wogelius R. A. 1399  
 Wolf M. 97, 171, 583, 819, 1191  
 Xinping L. 117  
 XiongXin D. 133  
 Xu G. 1  
 Xu R. 1439  
 Yanful E. K. 1245  
 Yingjie G. 133  
 Younger P. L. 1383  
 Yusa Y. 141  
 Yusta I. 1265  
 Zeng Y. 13  
 Zhmud B. V. 425  
 Zielinski R. A. 369  
 Zuccolini M. V. 917  
 Zuppi G. M. 51  
 Zuyi T. 133

